## (19) World Intellectual Property Organization International Bureau





#### (43) International Publication Date 15 May 2003 (15.05.2003)

#### **PCT**

## (10) International Publication Number WO 03/040989 A2

(51) International Patent Classification<sup>7</sup>: G06F 19/00

(21) International Application Number: PCT/US02/35377

(22) International Filing Date:

4 November 2002 (04.11.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/335,542

2 November 2001 (02.11.2001) US

(71) Applicant: SIEMENS MEDICAL SOLUTIONS USA, INC. [US/US]; 51 Valley Stream Parkway, Malvern, PA 19355 (US).

(72) Inventors: RAO, R. Bharat; 2060 St. Andrews Drive, Berwyn, PA 19312 (US). SANDILYA, Sathyakama; 28-12 Pheasant Hollow Drive, Plansboro, NJ 08536 (US).

NICULESCU, Radu Stefan; 2041 Wightman Street, Atp. B11, Pittsburg, PA 15217 (US). GOEL, Arun; 781 S. Middlesex Avenue, Colonia, NJ 07067 (US). BERENBACH, Brian; 7 Colonial Court, Edison, NJ 08820 (US).


- (74) Agents: PASCHBURG, Donald B. et al.; Siemens Corporation Intellectual Property Dept., 186 Wood Ave. South, Iselin, NJ 08830 (US).
- (81) Designated States (national): CA, CN, JP.
- (84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PATIENT DATA MINING, PRESENTATION, EXPLORATION, AND VERIFICATION



(57) Abstract: The present invention provides a graphical user interface for presentation, exploration and verification of patient information. In various embodiments, a method is provided for browsing mined patient information. The method includes selecting patient information to view, at least some of the patient information being probabilistic, presenting the selected patient information on a screen, the selected patient information including links to related information (Fig. 3). The selected patient information may include elements, factoids, and/or conclusions. The selected patient information may include an element linked to unstructured information. For example, an element linked to a note with highlighted information may be presented (Fig. 4). Additionally, the unstructured information may include medical images and waveform information.





# PATIENT DATA MINING, PRESENTATION, EXPLORATION, AND VERIFICATION

#### Cross Reference to Related Applications

This application claims the benefit of U.S. Provisional Application Serial No. 60/335,542, filed on November 2, 2001, which is incorporated by reference herein in its entirety.

#### Field of the Invention

The present invention relates to organization and review of data, and, more particularly to a graphical user interface for presentation, exploration and verification of patient information.

#### Background of the Invention

The information environment faced by physicians has undergone significant changes. There is much more information available, in more formats than ever before, competing for the limited time of physicians. Although the information age is slowly transforming this landscape, it has not yet delivered tools that can alleviate the information overload faced by physicians.

Currently, many health care organizations have started to migrate toward environments where most aspects of patient care management are automated. However, health care organizations

with such information management systems have tended to maintain information in a myriad of unstructured and structured data sources. It may still be necessary to access numerous different data sources, each with its own peculiar format.

In view of the above, it would be desirable and highly advantageous to provide new graphical tools for presentation, exploration and verification of patient information.

#### Summary of the Invention

The present invention provides a graphical user interface for presentation, exploration and verification of patient information.

In various embodiments of the present invention, a method is provided for browsing mined patient information. The method includes selecting patient information to view, at least some of the patient information being probabilistic, presenting the selected patient information on a screen, the selected patient information including links to related information. The selected patient information may include raw information extracted from various data sources for the patient (hereinafter referred to as 'elements') or conclusions drawn therefrom. This information may be derived from various data sources.

The selected patient information may include an element linked to unstructured information. For example, an element

linked to a note with highlighted information may be presented. The highlighted information may refer to information used to derive the element. Additionally, the unstructured information may include medical images and waveform information.

The selected patient information may also be derived from structured data sources, such as a database table.

The selected patient information may include a document with links to elements associated with the document.

The selected patient information may include patient summary information.

The patient information presented to a particular user may depend on the identity or role of the user. For instance, a physician may be interested only in a high-level view of the disease (at least initially) and be presented with the most relevant conclusions drawn from the entire patient record.

Another option is to display all the patient information (every element and derived conclusion) but to sort this list in order of decreasing relevance to the disease.

These and other aspects, features and advantages of the present invention will become apparent from the following detailed description of preferred embodiments, which is to be read in connection with the accompanying drawings.

#### Brief Description of the Drawings

FIG. 1 shows an exemplary data mining framework for mining structured clinical information;

- FIG. 2 shows an exemplary main browser screen;
- FIG. 3 shows an exemplary options screen;
- FIG. 4 shows an exemplary summary frame screen;
- FIGs. 5 and 6 show exemplary verification screens;
- FIGs. 7 and 8 show exemplary exploration screens;
- FIGs. 9 and 10 show exemplary results of extraction from a structured data source; and

FIG. 11 to 13 show exemplary presentation of patient summary information.

### Description of Preferred Embodiments

FIG. 1 illustrates an exemplary data mining framework as disclosed in "Patient Data Mining," by Rao et al., Attorney Docket No. 2001P20906US01, copending U.S. Patent Application Serial No. 10/\_\_\_\_,\_\_\_, filed herewith, which is incorporated by reference herein in its entirety.

As illustrates in FIG. 1, an exemplary data mining framework for mining high-quality structured clinical information includes a data miner 150 that mines information from a computerized patient record (CPR) 110 using domain-specific knowledge contained in a knowledge base (130). The data miner 150 includes components for extracting information from the CPR 152, combining all available evidence in a

principled fashion over time 154, and drawing inferences from this combination process 156. The mined information may be stored in a structured CPR 180.

The extraction component 152 deals with gleaning small pieces of information from each data source regarding a patient, which are represented as probabilistic assertions about the patient at a particular time. These probabilistic assertions are called elements. The combination component 154 combines all the elements that refer to the same variable at the same time period to form one unified probabilistic assertion regarding that variable. These unified probabilistic assertions are called factoids. The inference component 156 deals with the combination of these factoids, at the same point in time and/or at different points in time, to produce a coherent and concise picture of the progression of the patient's state is called a state sequence.

FIG. 2 illustrates an exemplary main browser screen 200 for browsing mined patient information. The exemplary main browser screen 200 includes a run state selector 202, a patient selector 204, and an enter button 206.

In operation, a user interacting with the main browser screen 200 enters a patient identifier using the patient selector 204 and a data mining run state using the run state selector 202. The user then clicks on the enter button 206 to

cause the selected patient identifier and run state to be input.

The data mining run state can include a particular run cycle (e.g., run date, time) that patient medical records were mined. When information is retrieved, it can include only information current as of that point.

Referring to FIG. 3, an exemplary options screen 300 is illustrated. The options screen 300 may include a plurality of input buttons, each input button for displaying a level of information. For example, the user may click on an input button to select summary information. FIG. 4 illustrates the result of selecting summary information from the options screen 300. As shown in FIG. 4, a summary of a particular patient information is presented. This summary includes all elements, documents, and tests for the patient relating to glycemic control, which is the view of the patient record presented to the particular user.

Advantageously, the patient information presented to a particular user may depend on the identity or role of the user. For example, a cardiologist may be presented with a different view of the data than an oncologist. Similarly, a physician may be presented with information different from that of a nurse or administrative employee. By presenting different views of the patient information, the user can more effectively make use of information that he or she is interested in.

Another option is to display all the patient information (every element and derived conclusion) but to sort this list in order of decreasing relevance to the disease. For instance, one patient's most relevant item may be his abnormal test results, while another patient whose test results are normal may have his family history of cancer be the most relevant item.

Referring to FIG. 5, an exemplary verification screen is illustrated. This screen allows a user to drill down an element to its underlying source. In this case, the element "STTAbn; Value: true, 0.8" has been selected, causing a physician note to be displayed in the right-hand portion of the screen. The highlighted portion of the physician note indicates the data from which the element was derived. In this case, it was concluded that there is an 80% probability that the patient's ECG showed ST-T wave abnormalities. FIG. 6 illustrates drilling down of another element, "STTabn; Value: false, 0.7", that contradicts the element shown in FIG. 5. In this case, it was concluded that there is an 70% probability that the patient's ECG showed ST-T wave abnormalities. A user may use the verification screen to verify the conclusions inferred from the underlying data sources.

Although FIGs. 5 and 6 show that the underlying data sources are physician notes, it should be appreciated that the data sources could take other forms. For example, the elements may be derived from (and linked to) medical images,

waveforms, and structured information (e.g., information contained in a database).

Referring to FIG. 7, documents may be displayed to the user. In this case, the user selected a physician note written by Emergency Room (ER) personnel. Two separate elements were derived from information contained in this document. FIG. 8 shows another document displayed on the exploration screen. As illustrated, this document includes fourteen elements in six categories.

FIGs. 9 and 10 illustrate patient information extracted from structured data sources. In particular, FIG. 9 shows lab results for a particular patient. As depicted, the lab results include a date, time, test name, and measurement value. FIG. 10 shows various medications administered to the patient. This information includes a drug name, date, dosage, and price information. The information obtained from structured data sources may have been converted into standardized units, where appropriate.

FIGs. 11 to 13 illustrate exemplary patient summary screens. FIG. 11 shows summary results for 'BGLUT' (blood glucose level). As shown, various summary information is presented to the user. Likewise, FIG. 12 shows summary results for "TCPL". As shown in FIG. 13, patient summary information related to various facets of glycemic control is presented.

While the exemplary screens use several selection menus and buttons, it should be appreciated that the selection of various parameters such as the patient identifier, miner run state, documents, elements, categories, etc., can be accommodated using a variety of devices, such as a number of graphical user interface selection widgets, check boxes, buttons, list boxes, pop-up or drop-down marks, text entry boxes and the like, or any known or later developed interfaces that an operator can access. It should be appreciated that the various exemplary screens illustrated herein can also, or alternatively, include any device capable of presentation, exploration, and verification of mined patient information.

Although illustrative embodiments of the present invention have been described herein with reference to the accompanying drawings, it is to be understood that the invention is not limited to those precise embodiments, and that various other changes and modifications may be affected therein by one skilled in the art without departing from the scope or spirit of the invention.

#### WHAT IS CLAIMED IS:

1. A method for browsing mined patient information, comprising the steps of:

selecting patient information to view, at least some of the patient information being probabilistic;

presenting the selected patient information on a screen, the selected patient information including links to related information.


- 2. The method of claim 1, wherein the selected patient information includes one or more of raw information extracted from available data sources for the patient and conclusions drawn therefrom.
- 3. The method of claim 1, wherein the selected patient information is derived from unstructured data sources.
- 4. The method of claim 1, wherein the selected patient information includes an element linked to unstructured information.
- 5. The method of claim 1, wherein the selected information includes an element linked to a note with highlighted information.
- 6. The method of claim 4, wherein the highlighted information refers to information used to derive the element.
- 7. The method of claim 3, wherein the unstructured information includes one of free text, medical image information, and waveform information.

8. The method of claim 1, wherein the selected patient information is derived from structured data sources.


- 9. The method of claim 8, wherein the structured data source includes a database.
- 10. The method of claim 1, wherein the selected patient information is a document and the links to related information refer to elements associated with the document.
- 11. The method of claim 1, wherein the selected patient information includes summary information.
- 12. The method of claim 1, wherein selectable patient information is presented based on a view.
- 13. The method of claim 12, wherein the view is based on one or more of a user identifier and a role.
- 14. The method of claim 12, wherein the selected patient information includes summary information.
- 15. The method of claim 12, wherein the selected patient information is sorted based upon relevance to one or more of a disease and a user.
- 16. A program storage device readable by a machine, tangibly embodying a program of instructions executable on the machine to perform method steps for browsing mined patient information, the method steps comprising:

selecting patient information to view, at least some of the patient information being probabilistic;

presenting the selected patient information on a screen, the selected patient information including links to related information.



SUBSTITUTE SHEET (RULE 26)







FIG. 3





5/13 personally interpreted the films on this patient. Chest x-ray demonstrated a good ET tube position. Otherwise, it was normal intervals. There is very wavy baseline and I am unable to interpret interior <u>Sinsecriteritations</u> The precordial leads are readable and I do not see any acute ST or T-waves changes. There is no ectopy on the EKG, but t is a substandard study and, therefore, will need to be repeated, but the patient is critically ill and, therefore, this was not done in the emergency department. The patient, after her CTs were obtained, was given Dilantin and Mannitol, egative for any pneumothorax or widened mediastinum. Her pelvis was negative for fracture and her C-spines were vas obtained on this patient which was an inadequate study; per my interpretation it reveals a sinus rhythm of 85 with emergency department course, she received a total of 1000 cc of normal saline. She was also given morphine. EKG not obtained in the department. A CT of the head revealed a subarachnoid hemorrhage which appeared to be and the patient was taken to CT angiography, the results of which are pending at the time of this dictation. The consistent with a ruptured aneurysm. A CT of the abdomen was also obtained. Of note, during the patient's nationt was transferred to 4-F and will be on the Trauma Service. Neurosurgery evaluated the patient in the smergency department and will follow the patient closely. The patient is admitted in critical condition to 4-F ', and potassium of 3.6. btained; initial blood gas was pH 7.26, pCO2 of 48, pO2 352, and a bicarb of Base excess was -6. Hemoglobin was 14, glucose 237, sodium of 137 (STsegment&changes) : STTAbn,true,0.8,402 Dictated by: \*\*NAME<UUU PPP>, M.D. SUBARACHNOID HEMÒRRHAGE SCHARGE DIAGNOSIS(ES) \*\*DATE<6/05/2001> 08:10 Element: STTAbn; Value: false 0.71999997;true.0 Element: STTAbn; Value: true, 0.8; Date: Thu Sep Dictations (4 docs, 4 elems, 2 categs) ext document in Element STTAbn with highlight in patient chart -ব্য All Elements ( 26 elems, 12 categs) AmiEnzymesLevel (1 elems) DiabetesEnzymes (1 elems) TroponinLevel (1 elems) Elementis III Auto avalue III Date of visit (1 elems) TROPONIN (3 elems) TcpkLevel (1 elems) Summary of Patient 0028 CKMBRI (2 elems) MBCPK (2 elems) STTAbn (3 elems) BGLUT (5 elems) TCPK (3 elems) All Lab Results GLU (3 elems) Glycemic Control ROPONIN All Documents EKG notes Medication CKMBRI MBCPK BGLUT CPK **Fests** 面 Ō **6.6.6.6.6.6 —** — —

6/13 normal intervals. There is very wavy baseline and I am unable to interpret interior ST segment changes. The precordial leads are readable and I do not see that the second is a substandard study and, therefore, will need to be repeated, but the patient is critically ill and, therefore, this was not done in the emergency department. The patient, after her CTs were obtained, was given Dilantin and Mannitol, was obtained on this patient which was an inadequate study, per my interpretation it reveals a sinus rhythm of 85 with personally interpreted the films on this patient. Chest x-ray demonstrated a good ET tube position. Otherwise, it was regative for any pneumothorax or widened mediastinum. Her pelvis was negative for fracture and her C-spines were emergency department course, she received a total of 1000 pprox of normal saline. She was also given morphine. EKG and the patient was taken to CT angiography, the results of which are pending at the time of this dictation. The not obtained in the department. A CT of the head revealed a subarachnoid hemorrhage which appeared to be patient was transferred to 4-F and will be on the Trauma Service. Neurosurgery evaluated the patient in the consistent with a ruptured aneurysm. A CT of the abdomen was also obtained. Of note, during the patient's emergency department and will follow the patient closely. The patient is admitted in critical condition to 4-F 11. Base excess was -6. Hemoglobin was 14, glucose 237, sodium of 137, and potassium of 3.6. btained; initial blood gas was pH 7.26, pCO2 of 48, pO2 352, and a bicarb of STsegment&changes): STTAbn,true,0.8,402 negate\*STTAbn): negation,true,0.9,402 lictated by: \*\*NAME<UUU PPP>, M.D. MD/mig D: \*\*DÅTE<6/05/2001> 07:16 T: \*\*DÅTE<6/05/2001> 08:10 'S ELEMENTS MINER - <0028> Element: STTAbn; Value: true, 0.8; Date: Thu Sep Element: STTAbn; Value: true, 0.8; Date: Thu Sep Flement State and Parameters (Parameters) Dictations (4 docs, 4 elems, 2 categs) previous element Element STTAbr 🖆 🖘 All Elements ( 26 elems, 12 categs) conflicting with Help ⊞-⊟ AmiEnzymesLevel (1 elems) DiabetesEnzymes (1 elems) TroponinLevel (1 elems) Navigate Date of visit (1 elems) TROPONIN (3 elems) TcpkLevel (1 elems) Summary of Patient 0028 CKMBRI (2 elems) ☐ MBCPK (2 elems) STTAbn (3 elems) BGLUT (5 elems) TCPK (3 elems) All Lab Results GLU (3 elems) Glycemic Control TROPONIN S All Documents EKG notes Medication CKMBRI MBCPK BGLUT TCPK Tests E Sie Ø PAT D . 🕁 <u>=</u> ٠Ė 

7/13 colfar. The patient is responding to some commands and moves her right foot to command on arrival. Vital signs during the orimary survey were temperature 36.1, pulse 83, respirations 24 assisted, and blood pressure 190/110. EKG demonstrated of the right forehead area which is approximately 4 cm. Neck reveals no step-offs and there is no facial trauma. Abdomen commands on arrival. Pupils are 3 mm and briskly reactive bilaterally. TMs are clear bilaterally. Head reveals a laceration irresponsive, but became responsive to deep sternal rub. Subsequently, during the transport, the patient became more evaluated this patient with the trauma team. This is a Level I trauma who is brought by STAT MedEvac II Air Transport a sinus rhythm. The airway was intubated. There were clear breath sounds bilaterally. Normal heart tones. No JVD or tracheal deviation. Symmetrical chest expansion without any crepitus or tendemess. GCS is 87. The patient does obey Physical examination: The patient arrives intubated, in full Cspine immobilization on a back board, in CID and cervical his is a "AGE<in 60s>•year-old female who was an unrestrained driver involved in a roll-over car crash. Was initially comnolent and required endotracheal intubation just prior to landing. No other history is available, at this time, is soft and nondistended, nontender. Redal reveals normal tone and guarac-negative. Pelvis is stable. econdary to the patient being intubated. ATTENDING PHYSICIAN ADDENDUM: rom the scene of a car roll-over "ER Notes (ER PATIENT'S ELEMENTS MINER - <0028> Dictations (4 docs, 4 elems, 2 categs) ☐ Doc: ekg 10 (1 elems, 1 categs) ♣ Doc: DS 2 (0 elems, 0 categs) Doc: HEADER 0 (1 elems, 1 categs) ←3 All Elements ( 26 elems, 12 categs) Showing whole document - ER Help AmiEnzymesLevel (1 elems) DiabetesEnzymes (1 elems) Doc=ER=1=/2.elems=4=talees notes ⊕ STTAbn (2 elems) TroponinLevel (1 elems) Navigate Date of visit (1 elems) TROPONIN (3 elems) TcpkLevel (1 elems Summary of Patient 0028 CKMBRI (2 elems) STTAbn (3 elems) MBCPK (2 elems) BGLUT (5 elems) TCPK (3 elems) All Lab Results GLU (3 elems) Glycemic Control ROPONIN Documents **EKG notes** Medication Sort MBCPK CKMBR BGLUT TCPK Tests Šie 4) ·Ėν ₹ Ø <u>i</u>e Ð Ė 

PCT/US02/35377

WO 03/040989

☐ PATIENT'S ELEMENTS MINER - <0005>		
File View Sort Navigate Help		
⇔ Summary of Patient 0005	П	
all Elements ( 89 elems, 20 categs)		
⊕ ⊕ AmiEnzymesLevel (1 elems)		
BGLUT (38 elems)		
⊕ CKMBRI (1 elems)		
⊕ □ Date of visit (1 elems)		
⊞- Diabetes (5 elems)	<b>[ ]</b>	
⊞ ☐ DiabetesDrugs (6 elems)	<b>}                                    </b>	
⊕ □ DiabetesEnzymes (1 elems)		
⊞ ☐ DiabetesMedication (12 elems)		
⊞- ☐ DiabetesRuleFired (3 elems)		
田- CLU (5 elems)	11	
⊕-  MBCPK (1 elems)	l t	
⊞- Nephropathy (2 elems)	<b>{                                    </b>	
⊕ ⊡ Neuropathy (2 elems)	<b>}</b>	
申□ pain (3 elems) 申□ Qwave (2 elems)	11	
STTAbn (2 elems)		
⊕ ☐ TCPK (1 elems)	<b>{                                    </b>	
TcpkLevel (1 elems)		
TROPONIN (1 ELEMS)	1	
TroponinLevel (1 elems)	[]	
□ - S All Documents	ii	
☐ ☐ Dictations (4 docs, 23 elems, 8 categs)	<b>[</b> ]	
₱ □ Doc: HEADER 0 (1 elems, 1 categs)		
☐ ☑ Doc: HP 1 (14 elems, 6 categs)	<b>i 1</b>	
⊞ □ Diabetes (S.elems);	<b>{                                    </b>	
⊞ □ DiabetesDrugs (4 elems)		
□ Nephropathy (2 elems)	it	
⊞-□Neuropathy (2 elems) ⊞-□pain (1 elems)	<b>[</b> ]	
⊕-□Qwave (2 elems)	11	
Doc: ekg 10 (1 elems, 1 categs)	[1]	
⊞- Doc: HP 2 (7 elems, 4 categs)	[ ]	
<b>★</b> EKG notes		
All Lab Results	<u> </u>	
→ Medication	<b>{}</b>	
自 All Tests	H	
TROPONIN		
* TCPK	<u></u>	
→ MBCPK  CKMBRI  List of all eleme		
Trom document		
→ GLU (different patier	nt)	
Glycemic Control	FIG 8	

9/13

File View Sort Navigate Help	
Summary of Patient 0005	7
☐ ☐ All Elements (89 elems, 20 categs)	1
# AmiEnzymesLevel (1 elems)	•
BGLUT (38 elems)	
⊕ CKMBRI (1 elems)	į
⊕ □ Date of visit (1 elems)	}
Diabetes (5 elems)	į
由 Diabetes Drugs (6 elems)	<u>}</u>
⊞- DiabetesEnzymes (1 elems)	<b>]</b>
⊞ ☐ DiabetesMedication (12 elems)	
⊞ ☐ DiabetesRuleFired (3 elems)	
⊞- GLU (5 elems)	
⊞ ☐ MBCPK (1 elems)	
⊞- Nephropathy (2 elems)	5,5 10/14/00 06:09 BGLUT 91
⊞ ☐ Neuropathy (2 elems)	5,5 10/13/00 21:26 BGLUT 129
pain (3 elems)	5,5 10/13/00 16:22 BGLUT 132
⊕ □ Qwave (2 elems)	5,5 10/13/00 11:05 BGLUT 158 5,5 10/13/00 04:32 BGLUT 170
⊕ ☐ STTAbn (2 elems)	5,5 10/12/00 21:14 BGLUT 158
⊞ ☐ TCPK (1 elems)	5,5 10/12/00 16:10 BGLUT 91
⊞ ☐ TcpkLevel (1 elems)	5,5 10/12/00 11:24 BGLUT 86
由 TROPONIN (1 ELEMS)	5,5 10/12/00 05:01 BGLUT 86
⊞ ☐ TroponinLevel (1 elems)	5,5 10/12/00 04:00 BGLUT 69
☐	5,5 10/11/00 20:52 BGLUT 103
☐ ☐ Dictations (4 docs, 23 elems, 8 categs)	5,5 10/11/00 17:20 BGLUT 160
申□ Doc: HEADER 0 (1 elems, 1 categs) □□ □ Doc: HP 1 (14 elems, 6 categs)	5,5 10/11/00 12:16 BGLUT 92
⊕ □ Diabetes (3 elems)	5,5 10/11/00 04:20 BGLUT 97
⊞□ Diabetes (3 clems)	5,5 10/10/00 15:16 BGLUT 125
⊞□ Nephropathy (2 elems)	5,5 10/10/00 11:28 BGLUT 153
⊕□ Neuropathy (2 elems)	5,5 10/10/00 05:54 BGLUT 146
⊕ pain (1 elems)	5,5 10/09/00 21:25 BGLUT 122
⊕ □ Qwave (2 elems)	5,5 10/09/00 16:26 BGLUT 107
⊞- Doc: ekg 10 (1 elems, 1 categs)	5,5 10/09/00 10:57 BGLUT 128
⊞	5,5 10/09/00 04:09 BGLUT 98
EKG notes	5,5 10/09/00 04:01 GLU 83 5,5 10/08/00 21:35 BGLUT 96
ZAUBFaleResults	5,5 10/08/00 16:57 BGLUT 127
→ Medication	5,5 10/08/00 06:39 BGLUT 96
□ 与 All Tests     TROPONIN	5,5 10/07/00 22:35 BGLUT 96
TROPONIN	5,5 10/07/00 14:54 GLU 85
	5,5 10/07/00 12:42 BGLUT 107
MBCPK All Lab Results -from	5,5 10/07/00 06:52 BGLUT 92
BGLUT structured data	5,5 10/07/00 00:43 BGLUT 87
GLU source	5,5 10/06/00 23:15 BGLUT 74
Glycemic Control	5,5 10/06/00 15:49 BGLUT 155

FIG. 9

10/13

File View Sort Navigate Help	
⇔ Summary of Patient 0005	Time span of medication: 10.0 days
⇔ All Elements ( 89 elems, 20 categs)	1
⊕- AmiEnzymesLevel (1 elems)	
□ □ BGLUT (38 elems)	
⊕ CKMBRI (1 elems)	ì
□ Date of visit (1 elems)	Į.
Diabetes (5 elems)	1
⊞ ☐ DiabetesDrugs (6 elems)	1
☐ DiabetesMedication (12 elems) ☐ DiebetesPulsFired (3 elems)	
⊞-; DiabetesRuleFired (3 elems) ⊞-; GLU (5 elems)	
由一 MBCPK (1 elems)	
⊞ □ Nephropathy (2 elems)	Drug: ROSIGLITAZONE 8MG TAB
⊞- Neuropathy (2 elems)	Date: 10/3/00
⊞- pain (3 elems)	Doses: 1 Price: 52.00
⊕- Qwave (2 elems)	Price. 52,00
⊞-⊡ STTAbn (2 elems)	Drug: ROSIGLITAZONE 8MG TAB
TCPK (1 elems)	Date: 10/12/00
⊞ TcpkLevel (1 elems)	Doses: 1
申· TROPONIN (1 ELEMS)	Price: 52.00
⊞ ☐ TroponinLevel (1 elems)	
☐ ☐ All Documents	Drug: ROSIGLITAZONE 8MG TAB
Dictations (4 docs, 23 elems, 8 categs)	Date: 10/11/00
Doc: HEADER 0 (1 elems, 1 categs)	Doses: 1
⊡ ⇔ Doc: HP 1 (14 elems, 6 categs) ⊞ □ Diabetes (3 elems)	Price: 52.00
⊕- Diabetes (3 elems)	5 50000 174701/5 0140 745
⊞ □ Nephropathy (2 elems)	Drug: ROSIGLITAZONE 8MG TAB
	Date: 10/10/00 Doses: 1
pain (1 elems)	Price: 52.00
⊕□ Qwave (2 elems)	1 1100. 02.00
⊞- Doc: ekg 10 (1 elems, 1 categs)	Drug: HUMULIN 70/30 INSULIN 10 ML INJ
⊞ □ Doc: HP 2 (7 elems, 4 categs)	Date: 10/10/00
EKG notes	Doses: 1
All Lab Results	Price: 133.75
Megication	
☐ → All Tests  TROPONIN	Drug: ROSIGLITAZONE 8MG TAB
* TCPK	Date: 10/8/00
MBCPK All medications	Doses: 1
CKMBRI -from	Price: 52.00
■ BGLUT structured data	Drug HUMULIN 70/20 Metil in 40 Million
GLU source	Drug: HUMULIN 70/30 INSULIN 10 ML INJ Date: 10/8/00
Glycemic Control	Date. 10/0/00

FIG. 10